

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	16	global adj scan adj enable	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:31
L3	1	l2 and (global adj set\$6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:28
L4	0	l2 and (global adj reset)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:30
L5	0	l2 and (global adj preset)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:30
L6	1337	global adj (reset or preset or set)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:32
L7	5	l6 adj enable	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:32
L8	467	global adj set	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:33
L9	81	l8 adj reset	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:33
L10	1	l9 adj enable	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:33
L11	78	l9 and @ad<"20031024"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:36
L12	75	l11 and enable	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:36
L13	45	l12 and enable with global	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 16:36
S1	5	("5166604" or "6510534" or "5132974" or "6195776" or "6067650").pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/31 15:56
S8	1	10/691,966	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 14:42
S29	1	"5166604".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:59

S30	3086	("324/763" or 714/724 or 714/726 or 714/727).ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S31	309	S30 and asynchronous	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S32	301	S31 and test\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S33	219	S32 and scan	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S34	163	S33 and (\$3set or clear) with (control\$3 or enable or disable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S35	122	S34 and (scan with (chain or cell))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S36	106	S35 and test\$3.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S37	72	S36 and scan.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 16:51
S38	18	S37 and reset.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:14
S39	1281	((fault or error or fail\$3) with asynchronous) with (data or reset or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:01
S40	92	S39 and test\$3.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:01
S41	4	S40 and (scan adj enable)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/29 17:04
S42	23	S37 and set.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:06
S43	23	S37 and set.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:13
S44	1	S37 and "5166604".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:15

S45	23	S37 and set.clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:16
S46	69	S37 and set	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:16
S47	56	S46 and reset	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:22
S48	6	abdel-hafez.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:23
S49	1661	wang-l\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:23
S50	3	kifli-a\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:23
S51	349	hsu-f\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:23
S52	175	wen-x\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:23
S53	957	lin-m\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:24
S54	1792	wang-h\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:24
S55	0	syntest.as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:25
S56	0	(syntest adj technologies).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:26
S57	4882	S48 or S49 or S50 or S51 or S52 or S53 or S54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:26
S58	2	S57 and (testing adj faults).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/29 17:27
S59	1	"4503537".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/30 15:25
S60	1	"6327687".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/30 08:04